

Pediatric Dosing Chart

Dosage for infants and children from your healthcare professional

DOSE: Every 6-8 hours as needed. Use only the dosing device (dosing syringe or dosing cup) that came with the product.

DO NOT use any other dosing device.

DO NOT give more than 4 doses in 24 hours. If possible, use weight to dose; otherwise, use age.

Use products **ONLY** as directed. Always read and follow the label on all MOTRIN® products.

Infants' MOTRIN® Concentrated Drops

Available in: **Berry, Dye-Free Berry**



WEIGHT 12-17 lbs 18-23 lbs

AGE 6-11 mos 12-23 mos

DOSE 1.25 mL 1.875 mL



Children's MOTRIN® Oral Suspension

Available in: **Grape, Berry, Dye-Free Berry, Bubble Gum**



WEIGHT 24-35 lbs 36-47 lbs 48-59 lbs 60-71 lbs 72-95 lbs

AGE 2-3 yrs 4-5 yrs 6-8 yrs 9-10 yrs 11 yrs

DOSE 5 mL 7.5 mL 10 mL 12.5 mL 15 mL



Children's MOTRIN® Chewables

Available in: **Grape, Dye-Free Grape**



WEIGHT 24-35 lbs 36-47 lbs 48-59 lbs 60-71 lbs 72-95 lbs

AGE 2-3 yrs 4-5 yrs 6-8 yrs 9-10 yrs 11 yrs

DOSE 1 tab 1.5 tabs 2 tabs 2.5 tabs 3 tabs



Today's date: _____

This dosing recommendation from your healthcare professional will expire in 14 DAYS.

ACTIVE INGREDIENT: Children's MOTRIN® Oral Suspension and Chewables products have 100 mg of ibuprofen (NSAID)* in each 5mL/tablet. Infants' Concentrated Drops has 50 mg of ibuprofen (NSAID)** in each 1.25 mL.

*Product eligibility may vary by plan. Check with your benefits administrator to determine which expenses are eligible before you shop.
**Nonsteroidal anti-inflammatory drug. Use products only as directed.
© Kenvue Brands LLC 2025 · CTCM-79161